

MAYAKA

AUDIO - VIDEO - HOME APPLIANCES

KATALOG

KITCHEN APPLIANCES SERIES
AND MULTIMEDIA AUDIO SERIES

 @mayakaelektronik

 **0859 4042 1966** |  **0804 1000 999**
(HANYA MELAYANI VIA WA CHAT)

Setiap hari kerja Senin - Jum'at, Pkl. 08.30 - 16.30 WIB



17 BRANCHES
AFTER SALES SERVICES





BL-486 SK

2 IN 1 BLENDER

- Grinding/Blending
- Two Speeds With Pulse
- Quick Clean Function
- Safety Lock
- High Quality Stainless Steel Blade
- Jug Capacity/Kapasitas : 1.5L
- Power/Daya : 400Watt
- Voltage/Tegangan : 220-240volt
- Frequency/Frekuensi : 50/60Hz



FP-316 KJ

FOOD PROCESSOR - MULTIFUNCTIONAL BLENDER

- Grinder/Blender/Chopper/Slicer/Shredder/Smoothie & Soybean Milk Maker
- 2 Speeds With Pulse Function
- LED Light
- Overheat Protection
- UV Spray, PC Cups
- High Torque Power Base
- 1.0 Blender Jug
- 300ml Low Cup
- 800ml Food Processor
- Solid Lid
- Cross & Flat Blade
- Capacity/Kapasitas : 1.0 Liter
- Power/Daya : 380Watt
- Voltage/Tegangan : 220-240Volt
- Frequency/Frekuensi : 50/60Hz



FP-701 HU

7 IN 1 FOOD PROCESSOR

- Two Speeds With Pulse
- Quick Clean Function
- Safety Lock
- High Quality Stainless Steel Blade
- Grinding/juicing/soy Milk/ Blending/cutting/ Slicing/Grating
- Jug Capacity : 1.75L
- Power/Daya : 300Watt
- Voltage/Tegangan : 220-240Volt
- Frequency/Frekuensi : 50/60Hz

DAYA DAPAT DIATUR
DARI **200W**
SAMPAI 1.350W



IC-916 SS INDUCTION COOKER

- Hot Pot, Fry, Bbq, Rice, Steam, Soup
- Touch Control
- Over Heat Protection System
- High/low Heating Or Voltage Protection
- Button Control
- 4 Digits Led Digital Display
- Automatically Shut Off If Lack Of Pot
- Premium Grade Polished Crystal Materials 280 X 350mm
- Hot Plate Diameter Size 120-270mm
- Pans/Pots Must Use Stainless Steel/ Iron Materials (Flat Bottom)
- Power/Daya : 200W Until Max 1350W (8 Level Of Power Adjustment Control)
- Voltage/Tegangan : 220 - 240Volt
- Frequency/Frekuensi : 50/60Hz



**SAFETY
CHILD LOCK**



EO-09 DN ELECTRICAL OVEN

- Temperature Control
- Timer
- Pilot Lamp
- Bake Tray
- Wire Rack
- Power/Daya : 600Watt
- Voltage/Tegangan : 220-240Volt
- Frequency/Frekuensi : 50/60Hz
- Capacity/Kapasitas : 9 Liters



400W

19lt
KAPASITAS

EO-19R DN ELECTRICAL OVEN

- Rotisserie Handle
- Crumb Tray
- Bake Tray Handle
- Temperature Control
- Switch for Functions
- Timer
- Pilot Lamp
- Bake Tray
- Rotisserie Set
- Wire Rack
- Power/Daya :
400W 1 pemanas
800W 2 pemanas
- Voltage/Tegangan : 220-240Volt
- Frequency/Frekuensi : 50/60Hz
- Capacity/Kapasitas : 19 Liters



WD-555 NJ

WATER DISPENSER TOP LOADING

- Compressor System
- Function : Hot, Normal, Cold
- Equipped With a Storage Cabinet
- 2 Step Selectable Switch For Heating Water: 185W/385Watt
- Product Dimention :
320 x 380 x 1028 mm
- Weight : 18,6 kg
- Voltage/Tegangan : 220-240V
- Frequency/Frekuensi : 50/60Hz
- Heat Power : 580W
- Cooling Power : 90W



Grill Type



Donut Type



Waffle Type



Sandwich Type

SM-8801 YZ

4 IN 1 CAKE MAKER/TOASTER

- Tipe : Detachable Plate (Donut/Waffle/Sandwich/Grill)
- 4 In 1 Cake Maker
- Non-stick Coated Plate
- Power Light Indicator
- Ready Light Indicator
- Cool-touch Handle
- Handle Clip For Locking Up
- Skid Resistance Feet
- Easy To Clean
- Modern Ergonomic Design
- Overheat Protection
- Power/Daya: 350W
- Voltage/Tegangan : 220-240V
- Frequency/Frekuensi : 50/60Hz



SM-8803 YZ

2 SLICES SANDWICH MAKER

- 2 Slice Capacity
- Non-stick Coated Plate
- Power Light Indicator
- Ready Light Indicator
- Cool-Touch Handle
- Handle Clip For Locking Up
- Skid Resistance Feet
- Easy To Clean
- Modern Ergonomic Design
- Overheat Protection
- Power/Daya: 350W
- Voltage/Tegangan : 220-240V
- Frequency/Frekuensi : 50/60Hz



ACC-B20T CM

TILT ADJUSTABLE MOUNTED

- Screen Size : Up to 37"
- Maximum Load : 25 Kg (55 lbs)
- Mounting Pattern : 75mm x 75mm, 100mm x 100mm, 200mm x 100mm, 200mm x 200mm
- Tile Range : Up to 10" Down
- Profile : 6.5 cm (2.6")
- Feature : Low-Profile Design, level Correction



ACC-B20F CM

FIX MOUNTED

- Screen Size : Up to 37"
- Maximum Load : 25 Kg (55 lbs)
- Mounting Pattern : 75mm x 75mm, 100mm x 100mm, 200mm x 100mm, 200mm x 200mm
- Profile : 2.7 cm (1.1")
- Feature : Safety Screw, Low-Profile Design,



SPKT-008 AD

SPEAKER TROLLEY

- With Bluetooth Function
- With USB
- With FM Radio Function
- Using a Rechargeable Battery
- With Karaoke Function
- LED Lamp Decoration
- CD / VCD / DVD Player
- Power: 20w x 2
- Voltage: AC 100-240v
- Frequency: 50/60Hz
- Impedance: 4ohm
- Drive unit: 1"+8"
- Sensitivity: 91±3db

RoHS     



SPKT-008 AD (TW)

DIGITAL AMPLIFIER SET WITH SPEAKER

- USB/TF/FM Radio/Bluetooth/TWS
- Equalizer 4 control: Treble, Bass, Mic Echo, GT Vol
- 2 Knob (Volume, Mic Volume)
- Using a Rechargeable Battery
- With Karaoke Function
- RGB LED Decoration Light
- Mic in 1 & 2, AUX input
- Compatible With CD/VCD/DVD player
- Accesories : 2 Mic Wireless, 1 Remote, 1 Adaptor, 1 Aux Cable
- Power (RMS) : 20Wx2=40W
- Speaker Voltage : 7,4V (Solution)
- Battery Capacity : 4500mAh
- Adaptor Voltage & Capacity : 9V/2000mAh
- Voltage : AC 110-240V
- Frequency : 50/60Hz
- Drive Unit : 8"x2
- Sensitivity : 85 ± 2dB



SPKT-1815E AD (UK)

DIGITAL AMPLIFIER SET WITH SPEAKER

- USB/TF/FM Radio/Bluetooth/TWS
- 5 Knob (Volume, Treble, Bass, Echo, Mic volume)
- Using a Rechargeable Battery
- With Karaoke Function
- Normal LED Decoration Light
- Mic in 1, AUX input
- Compatible With CD/VCD/DVD Player
- Accesories : 2 Mic Wireless, 1 Remote, 1 Adaptor, 1 Aux Cable
- Power (RMS) : 40W
- Speaker Voltage : 7,4V (Solution)
- Battery Capacity : 3600mAh
- Adaptor Voltage & Capacity : 9V/2000mAh
- Voltage : AC 110-240V
- Frequency : 50/60Hz
- Impedance : 4ohm
- Drive unit : 15" + 1.5"
- Sensitivity : 90 ± 3db



SPKT-1815E AD (WD)

DIGITAL AMPLIFIER SET WITH SPEAKER

- USB/TF/FM Radio/Bluetooth/TWS
- 9 Knob (Volume, Bass, Treble, ECHO, Mic Vol, Guitar Vol, Mic Trebel, Mic Bass Mic Delay)
- Using a Rechargeable Battery
- With Karaoke Function
- Mic in 1 & 2
- AUX input
- Guitar in
- Audio Input & Output
- Compatible With CD/VCD/DVD Player
- Accesories : 2 Mic Wireless, 1 Remote, 1 Cord, 1 Aux Cable
- Power (RMS) : 100W
- Speaker Voltage : 12V (Solution)
- Battery Capacity : 9000mAh
- Voltage Cord : AC 110-220V
- Frequency : 50/60Hz
- Impedance : 4ohm
- Drive unit : 15" + 3"
- Sensitivity : 90 ± 3db
- Body Material : Wooden



SPKT-1815E AD (TW)

DIGITAL AMPLIFIER SET WITH SPEAKER

- USB/TF/FM Radio/Bluetooth/TWS
- 9 Knob (Volume, Treble, Bass, Mic Vol, Mic Echo, Gt vol, Mic Bass, Mic Treble, Mic Delay)
- Using a Rechargeable Battery
- With Karaoke Function
- Normal LED Decoration Light
- Mic in 1 & 2
- AUX input
- Guitar In
- Audio Input & Output
- Compatible With CD/VCD/DVD Player
- Accesories : 2 Mic Wireless, 1 Remote, 1 Aux Cable
- Equalizer : 5 Band EQ
- Power (RMS) : 100W
- Speaker Voltage : 12V (Solution)
- Battery Capacity : 7200mAh
- Voltage Cord : AC 110-220V
- Frequency : 50/60Hz
- Drive Unit : 15"x2 + 1.5"x2
- Sensitivity : 88 ±3dB



SPKT-1815E AD (SY)

DIGITAL AMPLIFIER SET WITH SPEAKER

- USB/TF/FM Radio/Bluetooth/TWS
- 5 knob (Volume, Treble, Bass, Echo, M.Vol)
- Using a Rechargeable Battery
- With Karaoke Function
- With MIC Storage
- With Tripod
- RGB LED Decoration Light
- AUX input
- Compatible With CD/VCD/DVD player
- Accesories : 2 Mic Wireless, 1 Remote, 1 Adaptor, 1 Aux Cable
- Power (RMS) : 50W
- Speaker Voltage : 12V (Solution)
- Battery Capacity : 4500mAh
- Adaptor Voltage & Capacity : 15V/2000mAh
- Voltage : AC 110-240V
- Frequency : 50/60Hz
- Drive Unit : 15" + 3"
- Sensitivity : 85 ±2dB



SPK-213U FB

3.1 CHANNEL MULTIMEDIA SPEAKER

- Extra Audio Cable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD Players or Audio devices
- Knob Control: ST-BY/PLAY-PAUSE/TUNING +,-/SOURCE/VOLUME
- With Full Function Remote Control
- With LED Display
- With FM Tuner
- Compatible With MP3/CD and DVD/VCD/TV Players, Computer and Game Consoles
- USB & SD Card Reader MP3 Format
- Output Power : 20W + 8W x 3 (RMS)
- Driver Units : Sub 6.5" 8 Ω
Sat 3" 4 Ω ,
Magneticall Shielded
- Frequency : 20Hz-20KHz
- Separation : ≥ 40 dB
- S/N : ≥ 70 dB
- Distortion : $\geq 50\%$ (1K.1W)



SPK-3022 FB

ADVANCE 5.1 MULTIMEDIA SPEAKER SYSTEM

- Compatible With MP3 And DVD Players, TV, Computer And Game Consoles
- Includes 5 Satellite Speakers Plus Sub-Woover
- Front Panel LED Indicators
- Full Function Remote Control
- With Button Control
- 23 Watts (RMS)





SPK-100 FB

ADVANCE 2.1 CH MULTIMEDIA SPEAKER

- Total Output Power 40 Watts RMS
- 3-Piece Speaker System For Deep Bass Enhancement
- RCA Jack For Connecting With TV/DVD/VCD Players
- Extra Audiocable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD Players or Other Audio Devices
- Knob Control : Treble/Volume/ Bass



SPK-310 FB

2.1 CH MULTIMEDIA SPEAKER SYSTEM

- Total Output Power 32 Watts Rms
- 3 Pieces Wood Speaker System For Deep Bass Enhancement
- RCA Jacks For Connecting With TV/DVD/VCD Players
- Extra Audio Cable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD, Players Or Other Audio Devices
- Knob Control Volume/Bass/ Treble Mode





SPK-809U FB

2.1 CH MULTIMEDIA SPEAKER SYSTEM

- Total Output Power 32 Watts Rms
- 3 Pieces Wood Speaker System For Deep Bass Enhancement
- RCA Jacks For Connecting With TV/DVD/VCD Players
- Extra Audio Cable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD, Players Or Other Audio Devices
- Knob Control ST-BY/Volume/Bass/Treble/Play-Pause/Source
- With full function remote control
- USB & SD card reader MP3 format
- With FM tuner



SPK-350U FB

2.1 CH MULTIMEDIA SPEAKER SYSTEM

- Total output power 31 watts RMS
- 3.5 Stereo jack for connecting with DVD/VCD players
- Extra audio cable for connecting with game consoles
- Audio input jack for desktop PC, MP3, CD players or other audio devices
- Knob control : PLAY-PAUSE/NEST/PREV/SOURCE/VOLUME/BASS
- USB & SD Card Reader MP3 format with FM tuner





SPK-50 NS

MULTIMEDIA SPEAKER

- Total Output Power 35 Watts Rms
- 3 Pieces Wood Speaker System For Deep Bass Enhancement
- RCA Jacks For Connecting With TV/DVD/VCD Players
- Extra Audio Cable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD, Players Or Other Audio Devices
- Knob Control Volume/Bass/Treble Mode



SPK-60 NS

MULTIMEDIA SPEAKER

- Total Output Power 14 Watts Rms
- 3 Pieces Wood Speaker System For Deep Bass Enhancement
- 3.5 Jacks For Connecting With TV/DVD/VCD Players
- Extra Audio Cable For Connecting With Game Consoles
- Audio Input Jack For Desktop PC, MP3, CD, Players Or Other Audio Devices
- Knob Control Volume/Bass/Treble Mode



MDVD-502 LY

DVD 5.1 HOME THEATER

- Compatible With DVD/VCD/SVCD/CD/MP3/HDCD/CD-R/CD-RW/Kodak Picture CD
- Free Code (Compatible For All Area-Coded DVD)
- 5.1 Channel Surround Digital Output
- Support 16:9 And 4:3 TV Picture Modes
- Compatible With PAL/NTSC TV Systems
- USB 2.0
- Support MPEG4 Disc
- Support Karaoke
- Amp Power Output : 120W
- Subwoofer : 35W
- Front Surround And Center : 17W x 5
- USB Support
- AUX in



MDVD-1302 N

DVD 5.1 HOME THEATER SYSTEM

- AM/FM PLL Tuning Radio
- Top Loading DVD/MP3/Kodak Picture/CD-R/CD-RW/CD
- Mirror Finishing
- DTS/Dolby Digital Decoder
- Built-in Amplifier
- VFD Spectrum
- Clock/Sleep Function/Pre-set EQ
- Motorized Door
- Full Function Remote Control
- Output Power (5.1 ch) : 18W x 5RMS + 50W
Wooden Subwoofer (passive)





MDVD-9960 S

SPEAKER DVD PLAYER

- Multi-Format Compatibility DVD, VCD, CD, MP3, MP4
- High Sensitivity Digital AM/FM Tuner
- NTSC/PAL TV System
- High-Resolution Output
- DVD Functions-Multi-Angle View Subtitle, Multi-Language Parental Lock
- Karaoke Function USB input with CD/MP3 Song Record to USB Function
- SD Memory Card Reader
- JPEG Picture Viewer
- Input Voltage 220V 50/60HZ
- High-Power Stereo Sound Output



SPK-23 KM

ADVANCE 2.1 CH SPEAKER

- Active 2.1 CH Multimedia Speaker
- Built in FM radio
- Full Function Remote Control
- Subwoofer Drive : 5"x1
- Output Power : 35W
- Frequency Response : 20hz-250hz
- Front Speaker Drive : 3"x1
- Frequency Responses : 200hz-20khz
- Output Power 15w x 2

MAYAKA

AUDIO - VIDEO - HOME APPLIANCES

KATALOG

HOME APPLIANCES SERIES



17 BRANCHES
AFTER SALES SERVICES

SERVICE CENTER  @mayakaelektronik



0859 4042 1966

(HANYA MELAYANI VIA WA CHAT)



0804 1000 999

Setiap hari kerja Senin - Jum'at, Pkl. 08.30 - 16.30 WIB



CO-283 SB

AIR COOLER

- Remote Control
- 2 Ice Box Units
- Water Tank Capacity: 5-7 Litters
- Power / Daya : 60Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz



CO-501 AL

AIR COOLER

- Remote Control
- 2 Ice Box Units
- Water Tank Capacity: 5-7 Litters
- Power / Daya : 80Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60H



VC-112 HJ

VACUUM CLEANER

- Double Function With Blower
- Very Strong Suction Power
- Dust Storage Capacity : 0.5 Litters
- Power / Daya : 600Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz



VC-916 HJ

VACUUM CLEANER

- Washable Dust Bag
- Very Strong Suction Power
- Cable Auto-Rewinding Function
- Dust Storage Capacity : 2 Litters
- Power / Daya : 600Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz





VC-201/05 NH

2 IN 1 VACUUM CLEANER (CORDED STICK & HANDHELD)

- Power : 600W
- Suction vacuum degree : 13 Kpa
- Voltage : AC 220-240V, 50/60Hz
- Dust Capacity : 0.5L
- Cord length : 4 Meters
- HEPA filter : Yes
- Accesories : Floor Brush, Sofa Brush, Connector/Adaptor, Crevise Nozzle





VC-1507 HJ VACUUM CLEANER

- Power Adjustment / Speed Control
- Cyclone System
- Washable Transparent Dust Bin
- Flexible Hose with Air Flow On Handle
- Lower Noise Design
- Washable Hepa Filter
- Pedal Switch and Auto-Rewinding Wire
- Model : VC-1507 HJ
- Capacity / Kapasitas : 3-4 Litters
- Power / Daya : Max. 800Watt
- Voltage / Tegangan : 220Volt
- Frequency / Frekuensi : 50/60Hz



VC-2306M/10 ZN VACUUM CLEANER

- Wet & Dry
- Stainless steel barrel material
- With blower
- High efficiency with strong suction power
- Various accessories for easy cleaning
- Air cooling circulator system
- Easy cable and accessories storage
- Capacity/Kapasitas : 10Liter
- Power/Daya : 600W
- Suction Power/Hisap : 16kPa/160mbar
- Voltage/Tegangan : 220-240V
- Frequency/Frekuensi : 50/60Hz
- Reg No IMKG : IMKG.1587.08.2023
- Reg No K3L : 23-L-001313





VC-1905M/12 ZN VACUUM CLEANER

- Wet & Dry
- Stainless Steel Barrel Material
- With Blower
- High Efficiency With Strong Suction Power
- Various Accessories For Easy Cleaning
- Air Cooling Circulator System
- Easy Cable And Accessories Storage
- Capacity / Kapasitas : 12 Liters
- Power / Daya : 500W- 1100Watt
(W/ Power Adjustment / Speed Control)
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50Hz



DRY&WET



STRONG
SUCTION



BLOW



MULTI
FUNCTION



REMOVABLE

SAVE ENERGY



POWER ADJUSTMENT
/ SPEED CONTROL



VC-2993/15 ZN VACUUM CLEANER

- Wet & Dry
- Stainless Steel Barrel Material
- With Blower
- High Efficiency With Strong Suction Power
- Various Accessories For Easy Cleaning
- Air Cooling Circulator System
- Easy Cable And Accessories Storage
- Capacity / Kapasitas : 15 Liters
- Power / Daya : 600W - Max.1200Watt
(W/ Power Adjustment / Speed Control)
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz



DRY&WET



STRONG
SUCTION



BLOW



MULTI
FUNCTION



REMOVABLE

SAVE ENERGY



POWER ADJUSTMENT
/ SPEED CONTROL





VC-1905M/20 ZN VACUUM CLEANER

- Wet & Dry
- Stainless steel barrel material
- With blower
- High efficiency with strong suction power
- Various accessories for easy cleaning
- Air cooling circulator system
- Easy cable and accessories storage
- Capacity/Kapasitas : 20 Liters
- Power / Daya : 600W - Max. 1200W (W/ Power Adjustment Control)
- Suction Power/ Daya Hisap : 20 KPa
- Voltage/Tegangan : 220-240V
- Frequency/Frekuensi : 50/60Hz
- Reg No IMKG : IMKG.1490.08.2023
- Reg No K3L : 23-L-001227



MK 063-SR

RAJA PERANGKAP NYAMUK LED UV

- Panjang Gelombang UV : 0.1W 2835 390-400nm
- Kipas : 5V/0.3A 1700rpm +/- 10%
- USB Kabel Tipe C : 2 meter
- Sistem lampu UV sebagai pemikat nyamuk atau serangga
- Menghirup nyamuk/serangga
- Nyamuk/serangga dapat kehabisan udara
- Nyamuk/serangga tidak dapat keluar dari perangkap
- Ukuran Produk : Ø 140mm x 236mm (H)
- Berat : 523 gram





TRF-1600 BA

TORNADO FAN

- Pure Copper Motor
- 3 Speed Low/Medium/High
- Stainless Steel Frame
- Galvanized Chrome Grill
- 16 inch Tornado Fan
- Strong Winds
- Power / Daya : 75Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz



TRF-1800 NB

TORNADO FAN

- Pure Copper Motor
- 3 Speed Low/Medium/High
- Stainless Steel Frame
- Galvanized Chrome Grill
- 18 inch Tornado Fan
- Strong Winds
- Power / Daya : 130Watt
- Voltage / Tegangan : 220-240Volt
- Frequency / Frekuensi : 50/60Hz



TRF-1800

FUNGSI 3 IN 1

- Ukuran : 18 Inch
- Tegangan : 220-240V
- Frekuensi : 50/60Hz
- Daya : Max. 80Watt
- Kecepatan : 1.250RPM
- AC power cord : (1.5 meter)
- Pisau Kipas : 3 Metal Blade
- Bahan : PP
- Tinggi : 1.3m



WH-602 ZF

GAS WATER HEATER

- Ultra Low Water Pressure
- The Summer / Winter Control For Gas Saving
- Flame Failure Protection
- Overheat Protection
- Wind Back Protection
- Capacity (Kapasitas) : 6 Litters
- Rated Heat Power (Kekuatan Panas Rata-Rata) : 12 kW
- Rated Water Pressure (Tekanan Air Rata-Rata) : 0.01- 0.8 MPa
- Gas Type (Tipe gas) : LPG



WH-603 ZF GAS WATER HEATER

- Ultra Low Water Pressure
- The Summer / Winter Control For Gas Saving
- Flame Failure Protection
- Overheat Protection
- Wind Back Protection
- Capacity (Kapasitas) : 6 Litters
- Rated Heat Power (Kekuatan Panas Rata-Rata) : 12 kW
- Rated Water Pressure (Tekanan Air Rata-Rata) : 0.01- 0.8 MPa
- Gas Type (Tipe gas) : LPG



WH-808 ZF GAS WATER HEATER

- Flame Failure And Overheat Protection
- Micro Switch Electrical Signal
- Water Filter
- Fully Automatic Water Release
- Water Membrane
- Tempered Glass Panel
- Wind Back Protection
- Rated Water Pressure : 0,02 – 0,8 MPa
- Able to Work With Low Water Pressure
- Easy Installation
- Water Pressure Release For Safety And Life Endurance
- Capacity : 8 Litters
- Weight : 9,8 kgs
- Rated Heat Power : 16 KW
- Gas type : LPG



WH-50 ZF

ELECTRICAL WATER HEATER

- Rated Pressure : 0.6MPa
- Protection : IPX4
- G.W : 12 Kg
- N.W : 10 Kg
- Colour : White
- Capacity : 50 Litters
- Rated power : 1500W
- Voltage : 220Volt/50Hz



WH-80 ZF

ELECTRICAL WATER HEATER

- Rated Pressure : 0.6MPa
- Protection : IPX4
- G.W : 16.5 Kg
- N.W : 14.5 Kg
- Colour : White
- Capacity : 80 Litters
- Rated power : 1500W
- Voltage : 220Volt/50Hz



EL-3003 KE EMERGENCY LAMP

- Charging Time : 20-24 Hours Approx
- Original Battery / Vape Battery
- Duration Time : 25 Hours
- Battery : 6V 4.5Ah Sealed Lead-Acid
- Rechargeable Battery
- LED : 48pcs Bright LED
- Power Source : AC 220-240V 50/60Hz



EL-6833RD KE EMERGENCY LAMP

- Charging Time: 12-15 Hours Approx
- Original Battery / Vape Battery
- Duration Time: LED 4 Hours Approx
RADIO 4 Hours Approx
- Rechargeable Battery : 2x4V 900 mAh
- LED : 32 LED
- Power Source: AC 220-240V 50/60Hz



EL-6848 KE EMERGENCY LAMP

- Charging Time : 20-24 Hours Approx
- Original Battery / Vape Battery
- Duration Time : 0.5 Hours Bright Lights
20 Hours Medium Lights
- Battery : 4V 1.600mAh
Sealed Lead-Acid
- Rechargeable Battery
- Power : 12 Watt
- Voltage : AC 220-240V
- Frequency : 50/60Hz



EL-1803 KE EMERGENCY LAMP

- Three Fluorescent Lamp Tube Provide 306° Light Distribution
- 3, 2, or 1 Fluorescent Lamp Tube Or Touch Function Selector
- Original Battery / Vape Battery
- Highly Efficient Inverter Provides Maximum Light Brightness
- Automatic "ON" Function When Unit Is Being Charged And Tube Switch Is Set To 1, 2, Or 3 During Power
- Red LED Charge Indicator
Green LED Operate Indicator



EL-3014 KE EMERGENCY LAMP

- Battery : 6V 4.5Ah Sealed Lead-Acid Rechargeable Battery
- Original Battery / Vape Battery
- LED : 20pcs Bright LED
- Charging Time : 20-24 Hours Approx
- Duration Time : 4 Hours
- Power : 5 Watt
- Power Source : AC 220-240V
- Frequency : 50/60Hz



EL-3328 KE EMERGENCY LAMP

- Red LED Indicator Light Up When Recharging
- Original Battery / Vape Battery
- Set The Switch To "LIGHT" or "OFF" Position To Control The Tube Be Light UP Or OFF
- Always Recharge The Lantern When The Light Goes Dim
- 22 Watts
- 10 LED



EL-3360 KE EMERGENCY LAMP

- Battery : 6V 2.8Ah Sealed Lead-Acid Battery
- Original Battery / Vape Battery
- Charging Time : 20-24 Hours
- Duration Time :
1 Line : 22 Hours
2 Line : 12 Hours
3 Line : 8 Hours
56Hours/Low Light
- LED : 60x1500mcd
110" Bright LED Light
- Dimention : 127x120x368 mm
- Voltage : 220-240V 50/60Hz



EL-6040LA KE EMERGENCY LAMP

- Battery : 6V 4.5Ah Sealed Lead-Acid Rechargeable Battery
- Original Battery / Vape Battery
- Light Source : 24x0.25w LED
- Charging Time :
20-24 Hours Approx
- Duration Time : 14 Hours/
Bright Light &
56Hours/Low Light
- Dimention : 127x120x368 mm
- With Light Setting
- Voltage : 220-240V 50/60Hz



EL-8824 KE EMERGENCY LAMP

- Long Lasting Use
- Battery Charger
- Original Battery / Vape Battery
- Bright & Even Lighting
- LED Light
- Radio FM Function

MAYAKA

AUDIO - VIDEO - HOME APPLIANCES

Untuk informasi seputar
Sales & After Sales Service

silahkan hubungi Call Center Kami di :



0804 1 000 999

Setiap hari kerja Senin - Jum'at, Pkl. 8.30 - 16.30 WIB

Service Centres, PT. Multi Mayaka :

Jakarta 1. PT. Multi Mayaka, Kawasan Industri Pulogadung, Jl. Rawa Gelam III No. 2, Jakarta 13930 Tel. (021) 4683 2522 (hunting) Fax. (021) 4682 6823, 4682 8645 2. HWI-Lindeteves It. III Blok C No. 5-6 Jl. Hayam Wuruk 100, Jakarta 11180 Telp. (021) 625 8649 Fax. (021) 625 9913 3. PT. Multi Mayaka, Jl. Tole Iskandar No.63 Cimanggis Depok Tel. (021) 77837322/27 Fax. (021) 77829026
Bandung PT. Multi Mayaka, Jl. Taman Citarum No. 1, Bandung 40115 Tel. (022) 426 7788/99 Fax. (022) 423 0474
Cirebon PT. Multi Mayaka, Jl. Sunan Gunung Jati No. 150, Klayon - Cirebon Tel. (0231) 205 519, 201 909 Fax. (0231) 224 616
Semarang PT. Multi Mayaka, Jl. Mentri Supeno No. 31 A, Semarang 50243 Tel. (024) 841 8620/21 Fax. (024) 831 4982
Surabaya PT. Multi Mayaka, Jl. Pahlawan No. 28, Surabaya 60174 Tel. (031) 534 9414 (hunting) Fax. (031) 534 9413
Denpasar PT. Multi Mayaka, Jl. Cargo Permai No. 2 D, Banjar Tengah – Ubung, Denpasar 80116 Tel. (0361) 417 077/79 Fax. (0361) 417 098
Medan PT. Multi Mayaka, Kawasan Industri Medan II Jl. Pulau Menjangan 1 Blok A- 5, Medan 20371 Tel. (061) 687 1619 (hunting) Fax. (061) 687 1648
Makassar PT. Multi Mayaka, Kompleks Pergudangan dan Industri Parangloe Indah Blok C2 – 30, Jl. Prof. Dr. Ir. Sutami No. 38, Makassar 90244 Tel. (0411) 4720 259, 4720 459, 4720 659 Fax. (0411) 4720 870
Balikpapan PT. Multi Mayaka, Jl. Marsma Iswahyudi No. 45 Blok A3 Sepinggian, Balikpapan Selatan 76115 Tel. (0542) 720 9575 Fax. (0542) 726 1276
Pontianak PT. Multi Mayaka, Jl. Adi Sucipto No.163 Pontianak 78124 Tel. (0561) 659 1130, 659 1131
Banjarmasin PT. Multi Mayaka, Jl. Mayjen Sutoyo S. No. 297 Telaga Biru – Teluk Dalam, Banjarmasin Tel. (0511) 441 2271/72/73 Fax. (0511) 336 2947
Samarinda PT. Multi Mayaka, Komplek Pergudangan Tahap II Jl. Teuku Umar blok P no.7, Samarinda Tel. (0541) 270 175 Fax. (0541) 271 464
Palembang PT. Multi Mayaka, Jl. Perintis Kemerdekaan Ruko Blok D no.1-2 RT 021/06 Kelurahan Kuto Baru, Kecamatan Ilir Timur II Tel. (0711) 717148, 711942, 711691, 711619 Fax. (0711) 715592
Pekanbaru PT. Multi Mayaka, Jl. S.M. Amin, Komplek Pergudangan Angkasa 1 Blok E2 Kelurahan Simpang Baru, Kecamatan Tampan Tel. (0761) 8418226, 8418229 Fax. (0761) 8418230
Bandar Lampung PT. Multi Mayaka, Jl. Diponegoro No. 170 Teluk Betung Tel. (0721) 484070, 487170 Fax. (0721) 486964
Manado PT. Multi Mayaka, Jl. Walanda Maramis No. 105, Kota Manado Tel. (0431) 852123 / 851123